


Technical drawing of a driveway cross-section. The drawing shows a plan view of the driveway surface and a cross-section view. The driveway surface is labeled "NOVÁ DLAŽBA CIHLA ŠEDÁ" (New grey brick paving). The cross-section shows a driveway with a width of 0.4m and a slope of 3%. The maximum slope is indicated as "MAX. 12.5%". The drawing also shows the driveway structure, including the base and the paving stones. The surrounding areas are labeled "SADOVÝ OBRUBNÍK 60 x 150 x 1000 mm" (Garden curb 60 x 150 x 1000 mm). The drawing includes dimensions for the driveway width (0.4m) and the maximum slope (12.5%). The cross-section shows the driveway structure, including the base and the paving stones. The surrounding areas are labeled "SADOVÝ OBRUBNÍK 60 x 150 x 1000 mm" (Garden curb 60 x 150 x 1000 mm).

Datum.....28.2.2023.....(3)



| | | | |
|--|---|----------------------|--|
| <i>Odpor. proj.:</i> | Daniela Dariusová, DiS | <i>Dariusová</i> | A Z CONSULT spol. s r. o. Klíšská 12, 400 01 Ústí nad Labem Tel.: 475 240 810 Telfax.: 725 527 967 E-mail: azconsult@azconsult.cz ČSN EN ISO 9001 |
| <i>Vypracoval:</i> | Daniela Dariusová, DiS | <i>Dariusová</i> | |
| <i>Kontroloval:</i> | Ing. Zdeněk Avenarius | | |
| <i>Kraj:</i> | Ústecký | Místo: UL- Skorotice | |
| <i>Objednatel:</i> | Statutární město Ústí nad Labem, Velká Hradební 8, U.n.L. | | |
| <i>Akce:</i> | Ústí nad Labem, Skorotice - spojovací chodník | | <i>Zn. souboru:</i> ... |
| <i>Objekt:</i> | SO 101 - Komunikace pro pěší | | <i>Stupeň:</i> PDPS <i>Formát:</i> 2 x A4 |
| <i>Výkres:</i> | Vzorový příčný řez | | <i>Č. zak.:</i> 21/356 <i>Č. paré :</i> |
| | | | <i>Datum:</i> 02/2023 |
| | | | <i>Měřítko:</i> 1:100 <i>Č. přílohy:</i> D.1.3 |
| DOKUMENTACI LZE UŽÍVAT POUZE VE SMYSLU PŘÍSLUŠNÉ SMLOUVY O DÍLO. KOPÍROVÁNÍ A ROZŠÍŘOVÁNÍ POUZE PO PŘEDCHOZÍM SOUHLASU AZ CONSULT spol. s r.o. | | | |